



Samtykkeerklæring og information om MELINE® peeling

MELINE® peeling er specielt udviklet til reduktion af melasma og ujævn hudtone og kan anvendes til alle hudtoner.

MELINE® peeling til lysere hudtoner indeholder bl.a.:

- Azelainsyre
- Tranexansyre
- Arbutin
- Kojicsyre

MELINE® peeling til mørkere hudtoner indeholder bl.a.:

- Mandelsyre
- Ascorbinsyre
- Tranexansyre
- Salisylsyre

Peeling

En behandling med MELINE® peeling er en skånsom men effektiv måde at forbedre hudens udseende på, hvis man har melasma eller ujævn hudtone.

Det bedste resultat med MELINE® peeling opnås efter tre peelingbehandlinger i klinikken og 12 ugers brug af produktprogram, der skal medkøbes, når peelingforløb opstartes. Produktprogrammet er en vigtig del af behandlingen. Ved nogle hudtilstande kan det forekomme, at der anbefales flere end 3 peeling.

Efter MELINE® peeling ses reduktion af melasma, jævner hudtone og en finere hudstruktur og friskere glød.

Før behandlingen

Før behandlingen vil du få en konsultation hvor behandlingen planlægges og der informeres om hvilke resultater der kan opnås ved behandlingen. Umiddelbart før behandlingen tages der foto af huden og optages journal.

Peeling behandling udføres ikke på gravide eller ammende, eller på hud med aktiv hudsygdom så som herpes eller eksem, psoriasis.

MELINE® peeling må først anvendes seks måneder efter endt Isotretinoin behandling.

Brug ikke scrub, stærke syrer, retinoider eller andre aktive produkter i den periode, klinikken har angivet.

Brug ikke selvbruner op til behandlingen.

Behandlingen

Huden afrenses inden påføring af peeling. Peelingen påføres af 2-3 gange afhængigt af hudtilstand og sidder i 30-45 minutter på huden. Herefter tages peelingen af og huden smøres med MELINE® Restore. Under behandlingen kan peelingen opleves som kløende og varm.

Efter behandlingen

Umiddelbart efter behandlingen kan der opleves en vis grad af ubehag som kløe, irritation, en stikkende og varm følelse.

Der kan ses rødme og lidt hævelse (som en mild solskoldning), som kan opstå på det behandlede område og vare i op til fire dage efter behandlingen.

Resultaterne af denne behandling er som regel meget gode men kan ikke garanteres på grund af variabler, såsom alder, hudtilstand, solskader, rygning, klima, livsstil, osv.

Det er nødvendigt for resultatet, at MELINE® hjemmeplejeprodukter bruges dagligt i en periode af 12 uger for at opnå maksimale resultater.

Antallet af klinikbehandlinger varierer, og flere behandlinger kan være nødvendige for at opnå det ønskede resultat.

Komplikationer er meget sjældne, men de kan forekomme. I så fald er det vigtigt, at du kontakter din behandler hurtigst muligt.

Vigtige forudsætninger for behandling

Jeg skal undgå at klø eller pille i eventuel løs hud – peeling – for at reducere risikoen for ardannelse.

Det anbefales ikke at bruge andre produkter, som indeholder AHA-syrer eller retinoler i behandlingsperioden.

Det er meget vigtigt, at jeg følger rådene fra min kosmetiske behandler for at reducere risikoen for komplikationer eller bivirkninger. Dette inkluderer brug af alle hjemmeplejeprodukter som anvist.

Direkte solesponering frarådes, imens jeg gennemgår behandlingen, og daglig brug af solcreme med mindst SPF 30 er nødvendig – selv på en overskyet dag – i mindst seks uger. Der er risiko for, at der opstår hyperpigmentering, hvis dette råd ikke følges.

Jeg må ikke bruge solarium, imens jeg gennemgår behandlingen og i seks uger efter afsluttet behandling.

Hvis jeg er under medicinsk hudbehandling ordineret af en læge, bør dette afklares med den behandlende læge, før jeg gennemfører behandlingen.

Komplikationer og bivirkninger

- Herpes (forkølelsessår): I sjældne tilfælde kan peeling forårsage en opblusning af herpes hos personer, der tidligere har haft denne lidelse.
- Pigmentering: I sjældne tilfælde kan der ses en øget pigmentering (mørkfarvning) af huden.
- Følsomhed: I nogle tilfælde, kan huden have en øget følsomhed som er forbigående.
- Rødme og urenheder: I nogle tilfælde, kan der ses en let rødme, samt en midlertidig opblussen af uren hud.

AKUT-telefonen er altid åben og kan benyttes også uden for arbejdstid: 3160 9959.

Information og samtykke

Jeg er blevet informeret om virkning, reaktioner, bivirkninger og eventuelle komplikationer i forbindelse med MELINE® peeling.

Min behandler har givet mig mulighed for at stille spørgsmål, og jeg har haft mulighed for at medbringe en bisidder ved konsultationen. Jeg har fået tilfredsstillende svar på mine spørgsmål.

Jeg har svaret ærligt på spørgsmålene om min medicinske historie.

Jeg giver hermed min tilladelse til at blive behandlet.

N'AGE, den _____

Navn (blokbogstaver)

Underskrift

The following is an English translation of "Samtykkeerklæring og information om MELINE® peeling". The English translation below serves for information purposes only. In case of differences, the Danish version prevails. Signature is required on the Danish version and is only valid as such

Declaration of Consent and Information about MELINE® peeling

MELINE® peeling is a technology developed especially for reduction of melasma and uneven skin tones. It can be applied to all skin tones.

MELINE® peeling for lighter skin tones contains among others:

- Azelain acid
- Tranexan acid
- Arbutin
- Kojic acid

MELINE® peeling for darker skin tones contains among others:

- Almond acid
- Ascorbin acid
- Tranexan acid
- Salisyl acid

Peeling

A treatment with MELINE® is a gentle and efficient way to improve the appearance of the skin at melasma or uneven skin tone.

The best result with MELINE® peeling is reached with a course of 3 peeling treatments in the clinic and 12 weeks of use with the product program, which must be purchased when the course of peeling treatments is started. The product program is an essential part of the treatment. For some skin conditions more than 3 peeling treatments may be recommended.

After MELINE® peeling a reduction of the melasma, a more even skin tone, a more fine skin structure and a more fresh glow can be seen.

Before Treatment

Before the treatment, you will have a consultation where a treatment plan is drawn up and you will be informed about the results, which can be achieved. Immediately before the treatment a photo is taken of the skin and a journal is recorded.

Peeling treatment is not performed on pregnant or breastfeeding, nor on skin with active skin diseases such as herpes, eczema, psoriasis.

MELINE® peeling may only be applied at least six months after completing an Isotretinion treatment.

Do not use scrub, strong acids, retinol or other active products in the period of time indicated by the clinic.

Do not use self-tanning products prior to the treatment.

The Treatment

The skin is cleaned before application of the peeling. The peeling is applied 2-3 times depending on the skin's condition and is left for 30-45 minutes on the skin. Hereafter the peeling will be removed and the skin will be applied MELINE® Restore. The peeling can be felt itching and warm during the treatment.

Post Treatment

Right after the treatment there can be a degree of discomfort such as itchiness, irritation and a stinging warm sensation to the skin.

A redness and slight swelling (like a mild sunburn) can be seen in the treated area and may last for up to 4 days after the treatment.

The results of this treatment are usually good but can not be guaranteed due to variables such as age, condition of the skin, damage from the sun, smoking, climate, lifestyle, etc.

It is a necessity for the results that the MELINE® home treatment products are being applied on a daily basis for 12 weeks to reach the optimum results.

The number of treatments in the clinic will vary, and further treatments may be necessary in order to reach the desired result.

Complications are very rare but can occur. In case of any complications, it is important that you contact your medical aesthetic professional as soon as possible.

Important prerequisites for the treatment

I must avoid to itch or pick in any loose skin – peeling – in order to reduce the risk of scarring.

It is recommended not to use other products which contain AHA-acids or retinols in the period of treatment.

It is important that I follow the advice from my medical aesthetic professional in order to reduce the risk of complications or side effects. This includes applying the home treatment products as prescribed.

Direct exposure to the sun should be avoided during the course of the treatment and daily use of sun screen SPF 30 is required – even on a cloudy day – for at least 6 weeks. There is a risk hyper-pigmentation in case these precautions are not followed.

I can not use solarium while I am being treated and also 6 weeks after the completion of the treatment.

If I am under medical skin treatment prescribed by a medical doctor this treatment must be clarified with the treating medical doctor prior to treatment.

Complications and Side Effects

- Herpes (cold sores): In rare cases, peeling can cause a flare-up of herpes in people who have previously had this condition.
- Pigmentation: In rare cases, increased pigmentation (darkening) of the skin can be seen.
- Sensitivity: In some cases, the skin may have an increased sensitivity which is temporary.
- Redness and impurities: In some cases, a slight redness can be seen, as well as a temporary flare-up of impure skin.

The EMERGENCY phone is always open and can also be used outside office hours: +45 3160 9959.

Information and Consent

I have been informed about the effect, reactions, side effects and possible complications in connection with peeling.

My medical aesthetic professional has given me the opportunity to ask questions, and I have had the opportunity to bring a companion to the consultation. I have received satisfactory answers to my questions.

I have answered the questions about my medical history honestly.

I hereby give my permission to be treated.